ELSEVIER

Analytica Chimica Acta 348 (1997) 565–568

ANALYTICA
CHIMICA
ACTA

Author Index

Aldridge, P.K., see Cho, J. 303
Alsberg, B.K., see Winson, M.K. 273
Alsberg, B.K.
—, Goodacre, R., Rowland, J.J. and Kell, D.B.
Classification of pyrolysis mass spectra by fuzzy multivariate rule induction-comparison with regression, *K*-nearest neighbour, neural and decision-tree methods 389
Araújo, A.N., see de Gracia, J. 143
Arndt, M., see Hitzmann, B. 161

Baeza-Baeza, J.J., see Torres-Lapasió, J.R. 187
Barrero, F.A., see Campaña, A.M.G. 237
Baumann, K.
— and Clerc, J.T.
Computer-assisted IR spectra prediction — linked similarity searches for structures and spectra 327
Baumann, R.A., see Hoogerbrugge, R. 247
Bianchi, G., see Shaw, A.D. 357
Blasco, F.
—, Medina-Hernández, M.J. and Sagrado, S.
Use of pH gradients in continuous-flow systems and multivariate regression techniques applied to the determination of methionine and cysteine in pharmaceuticals 151
Booksh, K.S.
— and Kowalski, B.R.
Calibration method choice by comparison of model basis functions to the theoretical instrumental response function 1
Boqué, R., see Ferré, J. 167
Bosch-Reig, F., see Campíns-Falcó, P. 39
Bouveresse, E.
—, Rutan, S.C., Heyden, Y.V., Penninckx, W. and Massart, D.L.
Detection, interpretation and correction of changes in the instrumental response of near-infrared monochromator instruments over time 283
Bremser, W.
— and Hässelbarth, W.
Controlling uncertainty in calibration 61
Brezmes, J.
—, Ferreras, B., Llobet, E., Vilanova, X. and Correig, X.
Neural network based electronic nose for the classification of aromatic species 503
Broadhurst, D.
—, Goodacre, R., Jones, A., Rowland, J.J. and Kell, D.B.
Genetic algorithms as a method for variable selection in multiple linear regression and partial least squares regression, with applications to pyrolysis mass spectrometry 71
Burns, D.H., see Leonardi, L. 543
Burns, D.H., see Long, W.F. 553

Cabrol-Bass, D., see Cleva, C. 255
Cachet, C., see Cleva, C. 255
Campaña, A.M.G.
—, Rodríguez, L.C., González, A.L., Barrero, F.A. and Ceba, M.R.
Sequential response surface methodology for multioptimization in analytical chemistry with three-variable Doehlert designs 237
Campíns-Falcó, P.
—, Verdú-Andrés, J. and Bosch-Reig, F.
Evaluation and elimination of the blank bias error using the H-point standard additions method (HPSAM) in the simultaneous spectrophotometric determination of two analytes 39
Carpignano, R.
—, Marzona, M., Cattaneo, E. and Quaranta, S.
QSAR study of inclusion complexes of heterocyclic compounds with β-cyclodextrin 489
Cattaneo, E., see Carpignano, R. 489
Ceba, M.R., see Campaña, A.M.G. 237
Cho, J.
—, Gemperline, P.J., Aldridge, P.K. and Sekulic, S.S.
Effective mass sampled by NIR fiber-optic reflectance probes in blending processes 303
Cleij, P.
— and Hoogerbrugge, R.
Linear data projection using a feedforward neural network 495
Clerc, J.T., see Baumann, K. 327
Cleva, C.
—, Cachet, C., Cabrol-Bass, D. and Forrest, T.P.
Advantages of a hierarchical system of neural-networks for the interpretation of infrared spectra in structure determination 255
Correig, X., see Brezmes, J. 503
Cserháti, T., see Forgács, E. 481
Cserháti, T.
Use of spectral mapping technique for the separation of solvent strength and selectivity on β-cyclodextrin polymer-coated HPLC column using monoamine oxidase inhibitory drugs as solutes 197

de Aguiar, P.F.
—, Heyden, Y.V. and Massart, D.L.
Study of different criteria for the selection of a rugged optimum in high performance liquid chromatography optimisation 223

de Gracia, J.
—, Saravia, M.L.M.F.S., Araújo, A.N., Lima, J.L.F.C., del Valle, M. and Poch, M.
Evaluation of natural computation techniques in the modelling and optimization of a sequential injection flow system for colorimetric iron(III) determination 143
de la Peña, A.M., see García, M.D.G. 177
del Valle, M., see de Gracia, J. 143
di Camillo, A., see Shaw, A.D. 357

Elyashberg, M.E.
—, Karasev, Yu.Z., Martirosian, E.R., Thiele, H. and Somberg, H.
Expert systems as a tool for the molecular structure elucidation by spectral methods. Strategies of solution to the problems 443

Fernández-Band, B., see Ferré, J. 167
Ferré, J.
—, Boqué, R., Fernández-Band, B., Larrechi, M.S. and Rius, F.X.
Figures of merit in multivariate calibration. Determination of four pesticides in water by flow injection analysis and spectrophotometric detection 167
Ferreras, B., see Brezmes, J. 503
Fister III, J.C.
— and Harris, J.M.
Date analysis techniques for monitoring excited state kinetics 311
Forgács, E.
— and Cserháti, T.
Use of cluster and principal component analysis in quantitative structure-retention relationship study 481
Forrest, T.P., see Cleva, C. 255
Frenich, A.G., see García, M.D.G. 177

Galera, M.M., see García, M.D.G. 177
García, M.D.G.
—, Frenich, A.G., Vidal, J.L.M., Galera, M.M., de la Peña, A.M. and Salinas, F.
Resolution of overlapping peaks in HPLC with diode array detection by application of partial least squares calibration to cross-sections of spectrochromatograms 177
García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 187
Gemperline, P.J., see Cho, J. 303
Gloor, A., see Macher, C.L. 465
González, A.L., see Campaña, A.M.G. 237
Goodacre, R., see Alsberg, B.K. 389
Goodacre, R., see Broadhurst, D. 71
Goodacre, R., see Winson, M.K. 273
Goodacre, R.
—, Timmins, É.M., Jones, A., Kell, D.B., Maddock, J., Heginbothom, M.L. and Magee, J.T.
On mass spectrometer instrument standardization and interlaboratory calibration transfer using neural networks 511

Hässelbarth, W., see Bremser, W. 61
Harris, J.M., see Fister III, J.C. 311
Heginbothom, M.L., see Goodacre, R. 511
Herrero, A.
— and Ortiz, M.C.
Multivariate calibration transfer applied to the routine polarographic determination of copper, lead, cadmium and zinc 51
Heyden, Y.V., see Bouveresse, E. 283
Heyden, Y.V., see de Aguiar, P.F. 223
Hitzmann, B.
—, Löhn, A., Arndt, M., Ulber, R. and Müller, C.
A new evaluation technique for FIA measurements: projective reference evaluation 161
Hitzmann, B.
—, Ritzka, A., Ulber, R., Scheper, T. and Schügerl, K.
Computational neural networks for the evaluation of biosensor 135
Hoogerbrugge, R., see Cleij, P. 495
Hoogerbrugge, R.
—, Molins, C. and Baumann, R.A.
Effects of parameters on microwave assisted extraction of triazines from soil: evaluation of an optimisation trajectory 247
Hopke, P.K.
— and Song, X.-H.
Classification of single particles by neural networks based on the computer-controlled scanning electron microscopy data 375

Jones, A., see Broadhurst, D. 71
Jones, A., see Goodacre, R. 511
Jones, A., see Shaw, A.D. 357
Jones, A., see Winson, M.K. 273

Kalivas, J.H., see Xie, Y.-L. 19
Kalivas, J.H., see Xie, Y.-L. 29
Kaljurand, M.
— and Koel, M.
Analyzing time varying flow composition using multiple input chromatography 203
Karasev, Yu.Z., see Elyashberg, M.E. 443
Kell, D.B., see Alsberg, B.K. 389
Kell, D.B., see Broadhurst, D. 71
Kell, D.B., see Goodacre, R. 511
Kell, D.B., see Shaw, A.D. 357
Kell, D.B., see Winson, M.K. 273
Koel, M., see Kaljurand, M. 203
Kowalski, B.R., see Booksh, K.S. 1

Langhans, I., see Verberckmoes, A.A. 267
Langoor, M.H., see Luinge, H.J. 471
Larrechi, M.S., see Ferré, J. 167
Larrechi, M.S., see Ruisánchez, I. 113
Leonardi, L.
— and Burns, D.H.
Quantitative constituent measurements in scattering media from statistical analysis of photon time-of-flight distributions 543
Lima, J.L.F.C., see de Gracia, J. 143
Litani-Barzilai, I.
— and Schechter, I.
Spectroscopic prediction of nonlinear properties by principal component regression 345

Llobet, E., see Brezmes, J. 503
Löhn, A., see Hitzmann, B. 161
Long, W.F.
— and Burns, D.H.
Optical tomographic reconstruction from diffuse remittance in scattering media using partial least squares estimation 553
Lozano, J., see Ruisánchez, I. 113
Luinge, H.J.
—, Langoor, M.H. and van der Maas, J.H.
Linear and non-linear modelling techniques for the investigation of spectrum-structure relationships 471

Macher, C.L.
—, Gloor, A. and Pretsch, E.
Automatic generation of hypermedia 465
Maddock, J., see Goodacre, R. 511
Magee, J.T., see Goodacre, R. 511
Majcen, N.
—, Rius, F.X. and Zupan, J.
Linear and non-linear multivariate analysis in the quality control of industrial titanium dioxide white pigment 87
Martirosian, E.R., see Elyashberg, M.E. 443
Marzona, M., see Carpignano, R. 489
Massart, D.L., see Bouveresse, E. 283
Massart, D.L., see de Aguiar, P.F. 223
Medina-Hernández, M.J., see Blasco, F. 151
Molins, C., see Hoogerbrugge, R. 247
Müller, C., see Hitzmann, B. 161

Novič, M., see Novič, M. 101
Novič, M., see Pompe, M. 215
Novič, M., see Zupan, J. 409
Novič, M.
—, Novič, M., Zupan, J., Zafran, N. and Pihlar, B.
Simultaneous determination of iron(II) and iron(III) by flow injection analysis. A mathematical simulation of the detector response 101

Ooms, K., see Verberckmoes, A.A. 267
Ortiz, M.C., see Herrero, A. 51
Ortiz, M.C., see Sarabia, L.A. 11

Penninckx, W., see Bouveresse, E. 283
Pihlar, B., see Novič, M. 101
Poch, M., see de Gracia, J. 143
Pompe, M.
—, Razinger, M., Novič, M. and Veber, M.
Modelling of gas chromatographic retention indices using counterpropagation neural networks 215
Pretsch, E., see Macher, C.L. 465

Quaranta, S., see Carpignano, R. 489

Raczyńska, E.D.
Application of semiempirical method (AM1) to the study of tautomeric equilibria in the gas phase for simple compounds containing the amidine group: 4(5)-substituted imidazoles 431
Razinger, M., see Pompe, M. 215
Ríos, A., see Vereda, E. 129
Ritzka, A., see Hitzmann, B. 135
Rius, F.X., see Ferré, J. 167
Rius, F.X., see Majcen, N. 87
Rius, F.X., see Ruisánchez, I. 113
Rodríguez, L.C., see Campaña, A.M.G. 237
Rowland, J., see Shaw, A.D. 357
Rowland, J.J., see Alsberg, B.K. 389
Rowland, J.J., see Broadhurst, D. 71
Rowland, J.J., see Winson, M.K. 273
Ruisánchez, I.
—, Lozano, J., Larrechi, M.S., Rius, F.X. and Zupan, J.
On-line automated analytical signal diagnosis in sequential injection analysis systems using artificial neural networks 113
Rutan, S.C., see Bouveresse, E. 283

Sánchez, M.S.
— and Sarabia, L.A.
GINN (Genetic Inside Neural Network): towards a non-parametric training 533
Sagrado, S., see Blasco, F. 151
Salinas, F., see García, M.D.G. 177
Sarabia, L.A., see Sánchez, M.S. 533
Sarabia, L.A.
—, Ortiz, M.C. and Tomás, X.
Performance of the orthogonal least median squares regression 11
Saravia, M.L.M.F.S., see de Gracia, J. 143
Schechter, I., see Litani-Barzilai, I. 345
Scheper, T., see Hitzmann, B. 135
Schoonheydt, R.A., see Verberckmoes, A.A. 267
Schügerl, K., see Hitzmann, B. 135
Sekulic, S.S., see Cho, J. 303
Shaw, A.D.
—, di Camillo, A., Vlahov, G., Jones, A., Bianchi, G., Rowland, J. and Kell, D.B.
Discrimination of the variety and region of origin of extra virgin olive oils using ^{13}C NMR and multivariate calibration with variable reduction 357
Somberg, H., see Elyashberg, M.E. 443
Song, X.-H., see Hopke, P.K. 375

Thiele, H., see Elyashberg, M.E. 443
Timmins, É.M., see Goodacre, R. 511
Timmins, É.M., see Winson, M.K. 273
Todeschini, R.
Data correlation, number of significant principal components and shape of molecules. The *K* correlation index 419
Tomás, X., see Sarabia, L.A. 11
Torres-Lapasió, J.R.
—, García-Alvarez-Coque, M.C. and Baeza-Baeza, J.J.
Global treatment of chromatographic data with MICHROM 187

Ulber, R., see Hitzmann, B. 135
Ulber, R., see Hitzmann, B. 161

Valcárcel, M., see Vereda, E. 129

van der Maas, J.H., see Luinge, H.J. 471
Veber, M., see Pompe, M. 215
Verberckmoes, A.A.
—, Weckhuysen, B.M., Schoonheydt, R.A., Ooms, K. and Langhans, I.
Chemometric analysis of diffuse reflectance spectra of Co^{2+}-exchanged zeolites: spectroscopic fingerprinting of coordination environments 267
Verdú-Andrés, J., see Campíns-Falcó, P. 39
Vereda, E.
—, Ríos, A. and Valcárcel, M.
Quality compromises incorporated in simplex optimisation of a flow injection system 129
Vidal, J.L.M., see García, M.D.G. 177
Vilanova, X., see Brezmes, J. 503
Vlahov, G., see Shaw, A.D. 357

Weckhuysen, B.M., see Verberckmoes, A.A. 267
Winson, M.K.
—, Goodacre, R., Timmins, É.M., Jones, A., Alsberg, B.K., Woodward, A.M., Rowland, J.J. and Kell, D.B.
Diffuse reflectance absorbance spectroscopy taking in chemometrics (DRASTIC). A hyperspectral FT–IR-based approach to rapid screening for metabolite overproduction 273
Woodward, A.M., see Winson, M.K. 273

Xie, Y.-L.
— and Kalivas, J.H.
Evaluation of principal component selection methods to form a global prediction model by principal component regression 19
Xie, Y.-L.
— and Kalivas, J.H.
Local prediction models by principal component regression 29

Zafran, N., see Novič, M. 101
Zupan, J., see Majcen, N. 87
Zupan, J., see Novič, M. 101
Zupan, J., see Ruisánchez, I. 113
Zupan, J.
— and Novič, M.
General type of a uniform and reversible representation of chemical structures 409